




# HTC myTouch 3G Motherboard Replacement

Replace the motherboard of your HTC myTouch 3G.

Written By: Tony Tran



## INTRODUCTION

This guide describes the steps to separate the HTC myTouch motherboard from the glass screen for replacement or repair. This guide will require you to unscrew a T5 Torx screw with a *VOID* label. Unfastening this screw would void any warranty the phone may have.


---



### TOOLS:

- [Flathead 3/32" or 2.5 mm Screwdriver](#) (1)
  - [Phillips #00 Screwdriver](#) (1)
  - [T5 Torx Screwdriver](#) (1)
-

## Step 1 — Motherboard



- Slide the back cover down by pressing down on the top edge of the phone as indicated.
- Then separate to remove the back cover from the phone.


## Step 2



- Remove the Battery.
- Remove the SIM card.



### Step 3



- Press the SD card in, and the SD card should pop loose.
- Pull the SD card out.

### Step 4



- Remove the four 6-mm T5 torx screws in the four corners.
- Remove the two 4-mm T5 torx screws in the middle.

## Step 5



- Use the existing gap, to dislodge the antenna cover from the phone.
- Pull out the antenna cover to remove.

## Step 6



- Use a precision flathead screwdriver to dislodge the back plate from the phone.
- Go around the edges of the phone, and continue to dislodge the back plate from the front part of the phone.




## Step 7



- Remove the 3-mm Phillips head screw located on the side of the bottom left-hand corner of the phone.
- Remove the 3-mm Phillips head screw located on the top right-hand corner of the phone.
- ⓘ Do not remove any of the screws located on the actual circuit boards.

## Step 8



- Place a finger between the circuit board and the front cover, and lift up gently.
- Continue separating the circuit board from the front cover and screen and watch for a ribbon cable to detach.
- Finish separating the circuit board from the front panel.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-07-12 04:54:11 PM.